

# VFS Series Stainless Steel Floor Scales




OPTION

High quality stainless steel platform with structural bracing and multifunctional T51XW indicator

- Structural channel bracing for durability
- Pit mounting possibility
- All stainless steel with IP66 multifunctional indicator and IP68 stainless steel load cells

- Application** Weighing (6 units + custom unit), display hold, dynamic weighing, counting, check weighing, percentage weighing, auto-tare
- Display** LCD display with white LED backlight plus 3 colour checkweigh LED
- Operation** Internal universal power supply or optional internal NiMH rechargeable battery (battery is delivered separately on approved version)
- Communication** RS232 Interface with GMP, time-date, optional RS422/485, AC/DC Relay, 2nd RS232
- Construction** IP66 stainless steel indicator, bead blasted stainless steel platform; IP67 stainless steel junction box with top access; IP68 OIML R60 electro-polished stainless steel load cells
- Design Features** Structural channel bracing and pendulum design feet with removable rubber cap



FOR PRINTERS, CABLES AND SOFTWARE SEE P. 71-74

Model	M APP	Capacity	Readability (d)	(e)	Platform (mm)	Item N°	Price €
VFS-CS30051XW		300 kg	50 g		800 x 800 x 90	22018717	3450
VFS-CS30051XWM	•	300 kg		100 g	800 x 800 x 90	22018743	3545
VFS-CS60051XW		600 kg	100 g		800 x 800 x 90	22018718	3450
VFS-CS60051XWM	•	600 kg		200 g	800 x 800 x 90	22018744	3545
VFS-DS30051XW		300 kg	50 g		1000 x 1000 x 90	22018719	3795
VFS-DS30051XWM	•	300 kg		100 g	1000 x 1000 x 90	22018745	3885
VFS-DS60051XW		600 kg	100 g		1000 x 1000 x 90	22018720	3750
VFS-DS60051XWM	•	600 kg		200 g	1000 x 1000 x 90	22018746	3845
VFS-DS150051XW		1500 kg	200 g		1000 x 1000 x 90	22018721	3795
VFS-DS150051XWM	•	1500 kg		500 g	1000 x 1000 x 90	22018747	3885
VFS-E60051XW		600 kg	100 g		1500 x 1250 x 90	22018722	4700
VFS-E60051XWM	•	600 kg		200 g	1500 x 1250 x 90	22018748	4790
VFS-E150051XW		1500 kg	200 g		1500 x 1250 x 90	22018723	4700
VFS-E150051XWM	•	1500 kg		500 g	1500 x 1250 x 90	22018749	4790
VFS-E300051XW		3000 kg	500 g		1500 x 1250 x 90	22018724	4700
VFS-E300051XWM	•	3000 kg		1000 g	1500 x 1250 x 90	22018750	4790
VFS-ES60051XW		600 kg	100 g		1500 x 1500 x 90	22018725	5005
VFS-ES60051XWM	•	600 kg		200 g	1500 x 1500 x 90	22018751	5095
VFS-ES150051XW		1500 kg	200 g		1500 x 1500 x 90	22018726	5020
VFS-ES150051XWM	•	1500 kg		500 g	1500 x 1500 x 90	22018752	5115
VFS-ES300051XW		3000 kg	500 g		1500 x 1500 x 90	22018727	5020
VFS-ES300051XWM	•	3000 kg		1000 g	1500 x 1500 x 90	22018753	5115
VFS-G150051XW		1500 kg	200 g		2000 x 1500 x 90	22018728	5830
VFS-G150051XWM	•	1500 kg		500 g	2000 x 1500 x 90	22018754	5925
VFS-G300051XW		3000 kg	500 g		2000 x 1500 x 90	22018729	5830
VFS-G300051XWM	•	3000 kg		1000 g	2000 x 1500 x 90	22018755	5925

The models listed above will be upgraded with new Defender 5000 indicators, TD52P and TD52XW, within the first half of the year.  
 Price will not be subject to review, Item Number and Product Description might be changed.  
 In case of any questions, please contact your Dealer Manager or our customer service: SSC@Ohaus.com.

Accessories	Item N°	Price €
Ramp 800 mm for VFS stainless steel	22015473	691
Ramp 1000 mm for VFS stainless steel	22015474	769
Ramp 1250 mm for VFS stainless steel	22015475	957
Ramp 1500 mm for VFS stainless steel	22015476	1161
Pit frame stainless steel VFS-CS	22015493	1051

Accessories	Item N°	Price €
Pit frame stainless steel VFS-DS	22015494	1128
Pit frame stainless steel VFS-E	22015495	1304
Pit frame stainless steel VFS-ES	22015496	1396
Pit frame stainless steel VFS-G	22015497	1525
Set of footplates S/Steel for VFS	22015581	76

# VFP Series Floor Scales




OPTION

High quality painted steel platform with structural bracing and multifunctional T51P indicator

- Structural channel bracing for durability
- Pit mounting possibility
- IP68 stainless steel load cells

- Application** Weighing (6 units + custom unit), display hold, dynamic weighing, counting, check weighing, percentage weighing, auto-tare
- Display** LCD display with white LED backlight plus 3 colour checkweigh LED
- Operation** Internal universal power supply, 6xC batteries or optional internal NiMH rechargeable battery
- Communication** RS232 Interface with GMP, Time-Date, optional RS422/485, AC/DC Relay, 2nd RS232
- Construction** ABS Indicator, black painted steel platform, IP67 stainless steel junction box with top access, IP68 OIML R60 electro-polished stainless steel load cells
- Design Features** Structural channel bracing and pendulum design feet with removable rubber cap



FOR PRINTERS, CABLES AND SOFTWARE SEE P. 71-74

Model	M APP	Capacity	Readability (d)	(e)	Platform (mm)	Item N°	Price €
VFP-CS30051P		300 kg	50 g		800 x 800 x 90	22018704	2295
VFP-CS30051PM	•	300 kg		100 g	800 x 800 x 90	22018730	2385
VFP-CS60051P		600 kg	100 g		800 x 800 x 90	22018705	2295
VFP-CS60051PM	•	600 kg		200 g	800 x 800 x 90	22018731	2385
VFP-DS30051P		300 kg	50 g		1000 x 1000 x 90	22018706	2430
VFP-DS30051PM	•	300 kg		100 g	1000 x 1000 x 90	22018732	2525
VFP-DS60051P		600 kg	100 g		1000 x 1000 x 90	22018707	2415
VFP-DS60051PM	•	600 kg		200 g	1000 x 1000 x 90	22018733	2510
VFP-DS150051P		1500 kg	200 g		1000 x 1000 x 90	22018708	2435
VFP-DS150051PM	•	1500 kg		500 g	1000 x 1000 x 90	22018734	2530
VFP-E60051P		600 kg	100 g		1500 x 1250 x 90	22018709	2655
VFP-E60051PM	•	600 kg		200 g	1500 x 1250 x 90	22018735	2750
VFP-E150051P		1500 kg	200 g		1500 x 1250 x 90	22018710	2680
VFP-E150051PM	•	1500 kg		500 g	1500 x 1250 x 90	22018736	2775
VFP-E300051P		3000 kg	500 g		1500 x 1250 x 90	22018711	2660
VFP-E300051PM	•	3000 kg		1000 g	1500 x 1250 x 90	22018737	2750
VFP-ES60051P		600 kg	100 g		1500 x 1500 x 90	22018712	2985
VFP-ES60051PM	•	600 kg		200 g	1500 x 1500 x 90	22018738	3080
VFP-ES150051P		1500 kg	200 g		1500 x 1500 x 90	22018713	2985
VFP-ES150051PM	•	1500 kg		500 g	1500 x 1500 x 90	22018739	3080
VFP-ES300051P		3000 kg	500 g		1500 x 1500 x 90	22018714	2985
VFP-ES300051PM	•	3000 kg		1000 g	1500 x 1500 x 90	22018740	3080
VFP-G150051P		1500 kg	200 g		2000 x 1500 x 90	22018715	3575
VFP-G150051PM	•	1500 kg		500 g	2000 x 1500 x 90	22018741	3670
VFP-G300051P		3000 kg	500 g		2000 x 1500 x 90	22018716	3580
VFP-G300051PM	•	3000 kg		1000 g	2000 x 1500 x 90	22018742	3675

The models listed above will be upgraded with new Defender 5000 indicators, TD52P and TD52XW, within the first half of the year.  
 Price will not be subject to review, Item Number and Product Description might be changed.  
 In case of any questions, please contact your Dealer Manager or our customer service: SSC@Ohaus.com.

Accessories	Item N°	Price €
Pit frame painted for VFP-CS	22015392	754
Pit frame painted for VFP-DS	22015393	799
Pit frame painted for VFP-E	22015394	896
Pit frame painted for VFP-ES	22015396	957
Pit frame painted for VFP-G	22015397	1037

Accessories	Item N°	Price €
Ramp 800 mm VFP painted steel	22015464	373
Ramp 1000 mm VFP painted steel	22015465	407
Ramp 1250 mm VFP painted steel	22015466	468
Ramp 1500 mm VFP painted steel	22015467	549
Set of footplates painted steel VFP	22015499	64

# VE Series Stainless Steel Floor Scales



## Economical stainless steel platform with T32X indicator

- Affordable without compromising on quality
- Easy to use and clean with stainless steel IP65 indicator and IP67 load cells
- Internal rechargeable battery



- Application** Weighing (5 units), basic parts counting
- Display** LCD with white LED backlight
- Operation** Internal universal power supply or internal rechargeable battery
- Communication** RS232 Interface
- Construction** IP65 stainless steel indicator, stainless steel platform, fixed top plate 5mm thick, 4 x H8C IP67 OIML R60 alloy steel load cells, IP65 Stainless steel junction box with side access
- Design Features** Indicator with hinged front cover for easy servicing



FOR PRINTERS, CABLES  
AND SOFTWARE SEE P. 71-74

Model	M APP	Capacity	Readability (d)	(e)	Platform (mm)	Item N°	Price €
VE1500S32XW-EU		1500 kg	500 g		1000 x 1000 x 90	83997642	2340
VE1500S32XW-M	•	1500 kg		500 g	1000 x 1000 x 90	80253282	2430
VE1500R32XW-EU		1500 kg	500 g		1250 x 1250 x 90	83997643	2875
VE1500R32XW-M	•	1500 kg		500 g	1250 x 1250 x 90	80253283	2970
VE3000R32XW-EU		3000 kg	1000 g		1250 x 1250 x 90	83997644	2875
VE3000R32XW-M	•	3000 kg		1000 g	1250 x 1250 x 90	80253284	2970
VE1500L32XW-EU		1500 kg	500 g		1500 x 1500 x 90	83997645	3445
VE1500L32XW-M	•	1500 kg		500 g	1500 x 1500 x 90	80253285	3540
VE3000L32XW-EU		3000 kg	1000 g		1500 x 1500 x 90	83997646	3445
VE3000L32XW-M	•	3000 kg		1000 g	1500 x 1500 x 90	80253286	3540

Accessories	Item N°	Price €
Ramp 1000 mm for VE Stainless steel	72198341	684
Ramp 1250 mm for VE Stainless steel	72198342	775
Ramp 1500 mm for VE Stainless steel	72198343	1067
Set of Footplates	72198345	72

## Columns available for all floor and pallet scales

Accessories	Item N°	Price €
Column CS, 974mm	30047153	94
Column SST	30047154	186
























































# Catapult™ 5000



## The Heavy-Duty Shipping Scale that Combines Utility and Durability

- Large stainless steel platform for weighing heavy loads and packages of varying sizes
- Bright LED indicator
- Versatile data transfer and power options

<b>Application</b>	Weighing, dynamic/display hold, accumulation
<b>Display</b>	6-digit, 7-segment red LED
<b>Operation</b>	AC adapter (included) or rechargeable lead acid battery (optional)
<b>Communication</b>	Optional RS232
<b>Construction</b>	ABS plastic indicator housing, stainless steel platform
<b>Design Features</b>	Mounting bracket, painted steel frame, tactile mechanical keys, low-profile design, hardware configuration lockout switch, user-selectable span adjustment points, averaging level, auto zero-tracking, auto shut-off



FOR PRINTERS, CABLES AND SOFTWARE  
SEE P. 71-74

Model	Capacity	Readability (d)	Platform	Item N°	Price €
C51XE6R	6kg	2g	310 mm x 270 mm	30369349	249
C51XE30R	30kg	10g	310 mm x 270 mm	30369650	249
C51XE50R	50kg	20g	310 mm x 270 mm	30369651	249
C51XE200R	200kg	100g	310 mm x 270 mm	30369652	249
C51XE30L	30kg	10g	400 mm x 520 mm	30369653	375
C51XE50L	50kg	20g	400 mm x 520 mm	30369654	375
C51XE100L	100kg	50g	400 mm x 520 mm	30369655	375
C51XE200L	200kg	100g	400 mm x 520 mm	30369656	375
C51XE30X	30kg	10g	600 mm x 900 mm	30369657	450
C51XE50X	50kg	20g	600 mm x 900 mm	30369658	450
C51XE100X	100kg	50g	600 mm x 900 mm	30369659	450
C51XE200X	200kg	100g	600 mm x 900 mm	30369660	450

Accessories	Item N°	Price €
RS232 Kit	30101019	22
In-Use-Cover, T24P T31P	30101017	11
Lead Acid battery, 6V4AH	30251812	36

# SD Series



## Economic shipping scale for everyday usage

- Large digits for easy reading
- Indicator mounting bracket included
- Reusable packaging for portability

- Application** Weighing (2 units), dynamic weighing
- Display** LCD
- Operation** AC adapter (included) or 3 C batteries (not included)
- Construction** ABS plastic indicator housing and painted steel pan with smooth platform on large pan and raised embossed treads on standard
- Design Features** Universal table/wall mounting brackets included, extendable flexible coiled cable, carry-handle on packaging for ease of portability (not for L version)



Model	Capacity	Readability (d)	Platform	Item N°	Price €
SD35	35 kg	20 g	316 mm x 280 mm	71209917	175
SD75	75 kg	50 g	316 mm x 280 mm	71209918	175
SD200	200 kg	100 g	316 mm x 280 mm	71209919	175
SD75L	75 kg	50 g	520 mm x 400 mm	71210078	210
SD200L	200 kg	100 g	520 mm x 400 mm	71210079	210

# Catapult™ 1000



## Entry level low cost compact bench scale

- Optional stainless steel pan
- Economical
- Portable with carry handle

- Application** Weighing (2 units)
- Display** LCD
- Operation** AC adapter (included) or 3 C batteries (not included)
- Construction** ABS plastic housing and pan, optional stainless steel pan
- Design Features** Compact design



Model	Capacity	Readability (d)	Platform	Item N°	Price €
C11P9	9 kg	5 g	280 mm x 316 mm	71210146	105
C11P20	20 kg	10 g	280 mm x 316 mm	71210147	105
C11P75	75 kg	50 g	280 mm x 316 mm	71210148	105

Accessories	Item N°	Price €
Stainless steel pan cover for C11P	80251248	29

Shipping Scales